

SPECIFICATIONSHEET



Specifications

TSDI-6600-21 is a Free-standing 21 RU cabinet. Measures 600mm W X 600mm D X 1120mm height with caster wheels.

Equipped with 19-inch grounding copper, Flexi glass front door, solid removable rear door, top and bottom cable access with cover, locking removable side panels, caster wheels and leveling feet, top-mounted fan. Cabinet shall have astatic 120kg (264.55 lbs.) load rating. Cage nuts 30 pcs.

Technical Information

Dimensions:

TSDI-6600-21 = 21RU - 600mm W x 600mm D x 1120mm H

Material:

Steel gauge: #16 with durable black powder coat finish

Compliance:

CNAS(ZZW20200178Y), TIA/EIA-942. Compatible with metric ETSI and 19-inch international standard.

Load Rating:

Cabinet Static: 120 kg (264.55 lbs.)

Application:

Free-standing cabinet with caster wheels and leveling feet.

Packaging:

Complete Build Up (CBU), 1 unit per pallet

Key Features

Cable Access and Management:

Top and bottom cable access

PDU Mounting Option:

Horizontal Mounted PDU

Doors:

Flexi Glass front door with optional upgrade to digital door lock system.

Side Panels:

Removable locking panel on each side of the cabinet.

TSDI DATA CENTER CABINET

Part No: TSDI-6600-21 (21 RU, 600mm W X 600mm D, Flexi Glass Door)

TSDI Data Center Cabinet

TSDI-6600-21 = 21RU - 600mm W x 600mm D x 1120mm H



Locking Side Panel



Rotary Lock



Wheel & Levelling Feet



Top-Down Interior View with
Cable Entry
& Grounding



Top Panel with Fan & Cable
Entry

3rd Party Test Certification Report:

Ningbo Academy of Product Quality Inspection
TEST REPORT

Item No.	Test Item	Requirement	Actual Value	Test Result
1	Mechanical inspection	The horizontal clearance of the front door of the cabinet is not less than 10mm (1) and is not more than 15mm (2) in any case.	12mm	Pass (100%)
		The clearance of the cabinet is not less than 10mm (1) and is not more than 15mm (2) in any case.	10mm	Pass (100%)
		The vertical clearance of the cabinet is not less than 10mm (1) and is not more than 15mm (2) in any case.	11mm	Pass (100%)
		The vertical clearance of the cabinet is not less than 10mm (1) and is not more than 15mm (2) in any case.	10mm	Pass (100%)
		The vertical clearance of the cabinet is not less than 10mm (1) and is not more than 15mm (2) in any case.	11mm	Pass (100%)

Ningbo Academy of Product Quality Inspection
TEST REPORT

Item No.	Test Item	Requirement	Actual Value	Test Result
2	Weight	The cabinet is not heavier than 100kg (1) and is not lighter than 80kg (2) in any case.	95kg	Pass (100%)

Ningbo Academy of Product Quality Inspector
TEST REPORT



Ningbo Academy of Product Quality Inspection
TEST REPORT



Ningbo Academy of Product Quality Inspection
TEST REPORT



DECLARATION

- We hereby declare that the product is in compliance with the requirements of the contract.
- The product is not subject to any recall or withdrawal.
- The product is not subject to any recall or withdrawal.
- The product is not subject to any recall or withdrawal.
- The product is not subject to any recall or withdrawal.
- The product is not subject to any recall or withdrawal.
- The product is not subject to any recall or withdrawal.
- The product is not subject to any recall or withdrawal.